

SPECIFICATION FOR TFT MODULE

MODULE No.: IPS050A101A

CUSTOMER APPROVAL:

	SIGNATURE	DATE
PREPARED BY	余少伟	2018-02-28
CHECKED BY	£3	2018-02-28
APPROVED BY	Nota Liu	2018-02-28



REVISION RECORD

Rev No.	Rev date	Contents	Remarks
0	2017-11-08	First release	Preliminary
Α	2018-02-28	UPDATE THE GENERAL INFORMATION	Page 4



CONTENTS

1. GENERAL INFORMATION	4
2. ABSOLUTE MAXIMUM RATINGS	
3. ELECTRICAL CHARACTERISTICS	4
4. BACKLIGHT CHARACTERISTICS	4
5. EXTERNAL DIMENSIONS	5
6. ELECTRO-OPTICAL CHARACTERISTICS	6
7. INTERFACE DESCRIPTION	8
8. AC CHARACTERISTICS	10
9. POWER SEQUENCE	12
10. RELIABILITY TEST CONDITIONS	13
11. INSPECTION CRITERION	14
12. HANDLING PRECAUTIONS	22
13. PRECAUTION FOR USE	23
14 DACKING SPECIFICATION	22

Rev No. : A



1. GENERAL INFORMATION

No.	Item	Contents	Unit
1	LCD size	5.0 inch (Diagonal)	1
2	LCD type	IPS/Normally Black/Transmissive	1
3	Viewing direction(eye)	ALLO'CLOCK	1
4	Gray scale inversion direction		1
5	Resolution(H*V)	720*1280. Pixels	/
6	Module size (L*W*H)	65.40*119.30*1.66	mm
7	Active area (L*W)	62.10*110.40	mm
8	Pixel pitch (L*W)	86.25*86.25	um
9	Interface type	MIPI interface	/
10	Module power consumption	TBD	W
11	Back light type	LED	/
12	Driver IC	OTM1289A OR COMPATIBLE	1
13	Weight	TBD	g
14	Display color	16.7M	/

2. ABSOLUTE MAXIMUM RATINGS

Item	Symbol	Min.	Max.	Unit
Power supply input voltage(TFT Module)	VDD	-0.3	3.6	V
Backlight current (normal temp.)	ILED	-	50	mA
Operation temperature	Тор	-20	+70	°C
Storage temperature	Tst	-30	+80	°C
Humidity	RH	-	90%(Max60 °C)	RH

3. ELECTRICAL CHARACTERISTICS

DC CHARACTERISTICS(at Ta=25°C)

DC CHARACTERISTICS(at 1a-25 C)	0 011A1A01E1(101100(at 1a-23 0)								
Item	Symbol	Min.	Тур.	Max.	Unit	Note			
Power supply input voltage(TFT Module)	VDD	2.75	2.85	2.95	V				
I/O logic voltage	IOVCC	1.7	1.8	1.9	V				
Power supply current	IVDD	-	40	-	mA				

4. BACKLIGHT CHARACTERISTICS


(at Ta=25°C,RH=60%)

Item	Symbol	Min.	Тур.	Max.	Unit	Note
LED forward voltage	VF	=	18.2	19.2	V	IF=20*2mA
LED forward current	IF	-	40 -		mA	
LED power consumption	PLED	Œ	0.728	=	W	Note1
Number of LED	-		12		PCS	
Connection mode	-	6 in se	6 in series 2 in parallel			
LED life-time	-	20000	-	-	Hrs	Note2

Note1 : Calculator value for reference : IF*VF = PLED

Note2: The LED life-time define as the estimated time to 50% degradation of initial brightness at Ta=25°C and IF =40mA. The LED lifetime could be decreased if operating IF is larger than 40mA.

5. EXTERNAL DIMENSIONS



P. 5



6. ELECTRO-OPTICAL CHARACTERISTICS

Item	Symbol	Condition	Min.	Тур.	Max.	Unit	Remark	Note
Response time	Tr+ Tf		:=>	30	40	ms	FIG.1	Note 4
Contrast ratio	ime Tr+ Tf tio Cr Lv Yu - gle θ Red x Red y Green x Green y Blue x	-	700	900	-	-	FIG.2	Note 1
Surface luminance	Lv	θ=0°	250	300	-	cd/m ²	FIG.2	Note 2
Luminance uniformity	Yu	θ=0°	70	75	-	%	FIG.2	Note 3
NTSC	-	θ=0°	:=:	70	-	%	FIG.2	Note 5
		Ø=90°	75	85	=	deg	FIG.3	Note 6
Violating angle	θ	Ø=270°	75	85	×	deg	FIG.3	
Viewing angle		∅=0°	75	85		deg	FIG.3	
		Ø=180°	75	85	-	deg	FIG.3	
	Red x			TBD		=		
	Red y			TBD		-		N. C. 5
	Green x			TBD		=		
CIE (x,y)	Green y	θ=0° ∅=0°	Тур	TBD	Тур	-	FIG.2	
chromaticity	Blue x	/	-0.04	TBD	+0.04	-	CIE1931	Note 5
	Blue y	10-20 0		TBD		-		
	White x			TBD		-		
	White y			TBD		-		

Note1.Definition of contrast ratio

Contrast ratio(Cr) is defined mathematically by the following formula.

For more information see FIG.2.

Contrast ratio= Luminance measured when LCD on the "White" state

Luminance measured when LCD on the "Black" state

Measured at the center area of the LCD

Note2.Definition of surface luminance

Surface luminance is the luminance with all pixels displaying white.

For more information see FIG.2.

Lv = Average Surface Luminance with all white pixels(P1,P2,P3,,Pn)

Note3. Definition of luminance uniformity

The luminance uniformity in surface luminance is determined by measuring luminance at each test position 1 through n, and then dividing the maximum luminance of n points luminance by minimum luminance of n points luminance. For more information see FIG.2.

 $Y_u = \frac{\text{Minimum surface luminance with all white pixels (P1,P2,P3,.....,Pn)}{\text{Minimum surface luminance with all white pixels (P1,P2,P3,.....,Pn)}$

Maximum surface luminance with all white pixels (P1,P2,P3,.....,Pn)

Note4. Definition of response time

The response time is defined as the LCD optical switching time interval between "White" state and "Black" state. Rise time (T_{ON}) is the time between photo detector output intensity changed from 90% to 10%. And fall time (T_{OFF}) is the time between photo detector output intensity changed from 10% to 90%. For additional information see FIG1.

Note5. Definition of color chromaticity (CIE1931)

CIE (x,y) chromaticity, The x,y value is determined by screen active area center position P5. For more information see FIG.2.

Note6. Definition of viewing angle

Viewing angle is the angle at which the contrast ratio is greater than 10. angles are determined for the horizontal or x axis and the vertical or y axis with respect to the z axis which is normal to the LCD surface. For more information see FIG.3.

For viewing angle and response time testing, the testing data is base on Autronic-Melchers's ConoScope or DMS series Instruments or compatible. For contrast ratio, Surface Luminance, Luminance uniformity and CIE, the testing data is base on TOPCON's BM-5or BM-7 photo detector or compatible.

MODULE No. : IPS050A101A Rev No. : A P. 6



FIG.1. The definition of response Time




FIG.2. Measuring method for contrast ratio, surface luminance, luminance uniformity, CIE (x,y) chromaticity

Size : S≤5"(see Figure a) A : 5 mm B : 5 mm H,V : Active area

Light spot size \varnothing =5mm(BM-5) or \varnothing =7.7mm (BM-7)50cm distance or compatible distance from the LCD surface to detector lens.

test spot position : see Figure a.

measurement instrument: TOPCON's luminance meter BM-5 or

BM-7 or compatible (see Figure c).




Figure a

Size: 5"<S≤12.3"(see Figure b)

H,V: Active area


Light spot size ∅=5mm(BM-5) or ∅=7.7mm (BM-7)50cm distance or

compatible distance from the LCD surface to detector lens.

test spot position : see Figure b.

measurement instrument: TOPCON's luminance meter BM-5 or

BM-7 or compatible (see Figure c).







Figure c



FIG.3. The definition of viewing angle



7. INTERFACE DESCRIPTION

TFT Module Interface description

Interface No.	Name	I/O or connect to	Description
1	GND	Р	Power ground
2	MDSI_A_CLKN	1	Negative DSI clock differential signal input pins
3	MDSI_A_CLKP	I	Positive DSI clock differential signal input pins
4	GND	Р	Power Ground
5	MDSI_A_D0_DN	I	Negative DSI Data0 differential signal input pins
6	MDSI_A_D0_DP	1	Positive DSI Data0 differential signal input pins
7	MDSI_A_D1_DN	1	Negative DSI Data1 differential signal input pins
8	MDSI_A_D1_DP	J	Positive DSI Data1 differential signal input pins
9	MDSI_A_D2_DN	I	Negative DSI Data2 differential signal input pins
10	MDSI_A_D2_DP	1	Positive DSI Data2 differential signal input pins
11	MDSI_A_D3_DN	1	Negative DSI Data3 differential signal input pins
12	MDSI_A_D3_DP	1	Positive DSI Data3 differential signal input pins
13	GND	Р	Power ground
14	LED_V+	Р	Power for LED backlight(Anode)
15	LED_V-	Р	Power for LED backlight(Cathode)
16	GND	Р	Power ground
17	VCI	Р	Analog Power
18	IOVCC	Р	Logic power
19	LCD_ID	0	Identify pin to LCD(GND)




5000	MIPI_RST	1	LCD RESET signal
20	MILLIYO1	'	LCD RESET Signal
21	NC	I	
22	GND	Р	Power ground
23	GND	Р	Power ground
24	GND	Р	Power ground
25	V2P8_TP/NC	Р	TP Analog Power
26	TP_INT/NC	I	TP INT signal
27	I2C_5_SDA/NC	I	TP I2C SDA signal
28	I2C_5_SDL/NC	I	TP I2C SCL signal
29	TOUCH RST/NC	I	TP RESET signal
30	GND	Р	Power ground





8. AC CHARACTERISTICS

AC Characteristics for High Speed Mode

Parameter	Symbol	Parameter	Specification			
rarameter Symbol		raiametei	MIN	TYP	MAX	Uni
h Speed Mode						
DSI-CLK+/-	2xUI _{INST}	Double UI instantaneous	2.35	12	25	ns
DSI-CLK+/-	UI _{INSTA} , UI _{INSTB}	UI instantaneous Halfs	1.17		12.5	ns
DSI-Dn+/-	tos	Data to clock setup time	0.15	-		UI
DSI-Dn+/-	t _{DH}	Data to clock hold time	0.15			UI
DSI-CLK+/-	tortclk	Differential rise time for clock	150	1 2	0.3UI	ps
DSI-Dn+/-	*DRTDATA	Differential rise time for data	150	152	0.301	ps
DSI-CLK+/-	t _{DFTCLK}	Differential fall time for clock	150		0.3UI	ps
DSI-Dn+/-	t _{DFTDATA}	Differential fall time for data	150		0.3UI	ps









Rev No. : A



AC Characteristics for Low Power Mode

Parameter	Constant	Boundary .	Specification			
Farameter	Зупью	Symbol Parameter —		TYP	MAX	Unit
ow Power mode						
DSI-D0+/-	TLPXM	Length of LP-00, LP-01, LP-10 or LP -11 periods MPU Display Module	50	14		ns
DSI-D0+/-	T _{LPX0}	Length of LP-00, LP-01, LP-10 or LP -11 periods Display Module MPU	58	18	19.1	ns
DSI-D0+/-	T _{TA-SURED}	Time-out before the MPU start driving	TLPXD	*	2XTLPHD	ns
DSI-D0+/-	T _{TA-GETD}	Time to drive LP-00 by display module	5XT _{LPXO}		led.	ns
DSI-D0+/-	Tta-GOD	Time to drive LP-00 after turnaround request - MPU	4XT _{LPXD}			ns
DSI-D0+/-	Ratio T _{LPX}	Ratio of TLPXM/TLPXD between MCU and display module	2/3	A	3/2	








9. POWER SEQUENCE

Case 1: RESET line is held high or unstable by host at power on


If RESX line is held High or unstable by the host during Power On, then a Hardware Reset must be applied after both VCI and VDDI have

been applied - otherwise correct functionality is not guaranteed. There is no timing restriction upon this hardware reset.



Case 2: RESET line is held lower or unstable by host at power on

If RESX line is held Low (and stable) by the host during Power On, then the RESX must be held low for minimum 10sec after both VCI and VDDI have been applied.





10. RELIABILITY TEST CONDITIONS

No.	Test item	Test con	dition	Inspection after test
10.1	High temperature storage test	+80C/240 hours		
10.2	Low temperature storage test	-30°C/240 hours		
10.3	High temperature operating test	+70°C/120 hours		
10.4	Low temperature operating test	-20°C/120 hours		Inspection after
10.5	Temperature cycle storage test	-30°C ~ 25°C ~ +80° (30min.) (10min.) (30		2~4hours storage at room temperature, the sample shall be free
10.6	High temperature high humidity test	+50°C*90% RH/120	+50°C*90% RH/120 hours	
10.7	Vibration test	Frequency : 250 r/mi Amplitude : 1 inch Time: 45min		
		Drop direction: 1 corner/3 edges/6 s	ides 10 time	Non-display,abnormal-d isplay,missing lines, Short lines,ITO
		Packing weight(kg)	Drop height(cm)	corrosion;
10.8	Drop test	<11	80±1.6	3.Visual defect : Air bubble in the LCD,Seal
10.0	Diop toot	11≦G<21	60±1.2	leak,Glass crack.
		21 ≦ G<31	50±1.0	
		31 ≦ G<40	40±0.8	
10.9	ESD test	Air discharge: ±8KV, Contact discharge: ±		

Remark:

- 1. The test samples should be applied to only one test item.
- 2. Sample size for each test item is 3~5pcs.
- 3. For High temperature high humidity test, Pure water(Resistance>10M Ω) should be used.
- 4.In case of malfunction defect caused by ESD damage, if it would be recovered to normal state after resetting, it would be judged as a good part.
- 5.B/L evaluation should be excepted from reliability test with humidity and temperature: Some defects such as black spot/blemish can happen by natural chemical reaction with humidity and Fluorescence B/L has.
- 6. Failure judgment criterion: Basic specification, Electrical characteristic, Mechanical characteristic, Optical characteristic.

MODULE No. :IPS050A101A Rev No. : A P. 13



11. INSPECTION CRITERION

11.1 Objective

The TFT test criterion are set to formalize TFT quality standards for GTK with reference to those of the customer for inspection, release and acceptance of finished TFT products in order to guarantee the quality of TFT products required by the customer.

11.2. Scope

The criterion is applicable to all the TFT products manufactured by GTK

11.3. Equipment for Inspection

Electrical tester, electrical testing machines, vernier calipers, microscopes, magnifiers, anti-static wrist straps, finger cots, labels, tri-phase cold and hot shock machine, constant temperature and humidity chamber, backlight table, ovens for high-low temperature experiments, refrigerators, constant voltage power supply (DC), desk Lamps, etc.

11.4. Sampling Plan and Reference Standards

11.4.1 Sampling plan:

Refer to National Standard GB/T 2828.1---2012/ISO2859-1:1999, level II of normal levels:

Major defect: AQL 0.4 Minor defect: AQL 1.0

11.4.2 GB/T 2828.1---2012/ISO2859-1:1999 Sampling check procedure in count

11.4.3 GB/T 18910. Standard for LCM parts


11.4.4 GB/T24213-2008 Basic Environmental Test Procedures for Electrical and Electronic Products


11.4.5 IPC-A-610E Acceptability of Electronic Assemblies

11.5. Inspection Conditions and Inspection Reference

11.5.1 Cosmetic inspection: shall be done normally at $23\pm5^{\circ}$ C of the ambient temperature and $45\sim75\%$ RH of relative humidity, under the ambient luminance between 500lux ~1000 lux and at the distance of 30cm apart between the inspector's eyes and the LCD panel and normally in reflected light. For backlight LCM, cosmetic inspection shall be done under the ambient luminance less than 100lux with the backlight on.

11.5.2 The TFT shall be tested at the angle of 45°left and right and 0-45° top and bottom as the following picture showing:






11.5.3 Definition of viewing area(VA)


A area : Active area(AA area)
B area : Viewing area(VA area)

C area: Non-viewing area(not viewing after customer assembly)

If there is any appearance viewing defect which do not affect product quality and customer assembly in C area, it's accepted in generally.

The criteria apply to A and B area except chipping and crack.







- 11.5.4 Inspection with naked eyes(exclusive of the inspection of the physical dimensions of defects carried out with magnifiers)
- 11.5.5 ND card use method(refer to right conner image) and scope: Multi-bright dot; Mura(Black/Gray pattern uneven); dark line and so on.
- 11.5.6 Undefined items or other special items, refer to mutual agreement and limited sample. If criterion does not match product specifications/ technical requirement, both should be subject to special inspection criterion agreed by customer.

11.6. Defects and Acceptance Standards

- 11.6.1 Electrical properties test
- 11.6.1.1 Test voltage(V): Refer to the instruction of testers and the product specification or drawing and the display content and parameters and display effects shall conform to the product specification and drawing.
- 11.6.1.2 Current Consumption(I): Refer to approved product specifications or drawings.

11.6.1.3 Function items(Defect category : MA.)

No.	Defects	Descriptions	Pictures	Inspection method/tools	Defect category
11.6.1.3.1		shows no picture/display in normal connected situation.		Naked eyes/ testers	MA.
11.6.1.3.2	Missing segment	Shows missing lines in normal display		Naked eyes/ testers	MA.
11.6.1.3.3	Dark line	Only visible on gray pattern, 1 or more vertical/horizontal lines:5%ND,not visible,OK	1	Naked eyes/ testers	MA.
11.6.1.3.4	POL angle defect	Not accepted	正常 POL贴反180度后	Naked eyes/ testers	MA.
11.6.1.3.5	Image retention (sticking)	Chess pattern stays for 30mins and change to 50% gray pattern, disappear time <10s, OK; if time>10s, NG		Naked eyes/ testers	MA.
11.6.1.3.6	Flicker	Refer to limit sample if essential or flicker value<-30dB(measured by CA310A); OK		Naked eyes/ CA310A	MA.
11.6.1.3.7	Display abnormal	Not accepted		Naked eyes/ testers	MA.
11.6.1.3.8	Cross-talk	Refer to limited sample	+	Naked eyes/ limited sample	MA.
11.6.1.3.9	Display dim/bright	Refer to limited sample	1	Naked eyes/ limited sample	MA.
11.6.1.3.10	Contrast	Refer to limited sample	1	Naked eyes/ limited sample	MA.
11.6.1.3.11	Huge current	Out of spec, not accepted	1	Ammeter	MA.



	TP			Naked eyes/	
11.6.1.3.12	function	Not accepted	/	Touch/	MA.
	defect			test program	

11.6.2 LCD dot/line defect

11.6.2.1 LCD pixel dot defect(defect category : MI.)

Item		Inspection criterio	n
Size	S<5"	5"≤S<10"	10"≤S<15"
Color pixel dot defect(RGB dot)	1	2	2
2 connected bright dot	0	1	1
3 connected bright dot or more	0	0	1
Bright dot quantity	1	2	3
Random dark dot quantity	2	3	4
2 connected dark dot	1	1	2
3 connected dark dot or more	0	0	0
Dark dot quantity	3	4	5
Multi-bright dot		ND 3%hidden, OK	(

Remark: 2 bright dots distance DS≥15mm 2 dark dots distance DS≥5mm

- 1) Bright dot: Power on TFT and RGB dot in black display
- 2) Dark dot: Power on TFT and gray or black dot in RGB display
- 3) Multi-bright dot: Power on TFT and fluorescent tiny dot in black display(only visible in black display)

11.6.2.2 LCD appearance dot defect (defect category : MI.)

No.	Item			spection c			Picture	Inspection
NO.	item	Si	ze	S<5"	5"≤S<10"	10"≤S<15"	Picture	method/tools
		D≤0).15	Not count	Not count	D≤0.2mm		
		0.15<	D≤0.25	3	3	Not count	1 b	Naked eyes
		0.25<	D≤0.30	1	2	0.2~0.35mm	a H	
	Dot defect	pressional s	D≤0.35	0	1	Q'ty ≤ 4		/magnifier
11.6.2.2.1	(black dot,	400000-00000000000000000000000000000000	D≤0.50	0	0	1	D=(a+b)/2	/magrimor
	white dot)	N=39.	∙0.5	0	0	0		
		Remark:	D≤0.15m	m, not cou	nt.Multi-dot	as bulk is not	accepted.	
			t quantity≤					
				ar dots in	1 cm is judo	ged as multi-d	ot.	
		Length	Width	S<5"	5"≤S<10"	10"≤S<15"		
		(mm)	(mm)					
		Not count	W≤0.03	Accepted	Accepted	Accepted		
		L≤5 0	0.03≤W	3	3	Not count	1	Naked eyes
	Line	Lis	<0.05	3	3	Not count		/film card
	defect	L≤5	0.05≤W	0	1	3		/magnifier
11.6.2.2.2	(visible		<0.08				1	
	when	L≤8	0.05≤W	0	0	1		
	power on)		<0.08				1_+	
		L>8	W>0.08	0				
		Remark :						
			0.86			pecial angle ag		
		2. 0.0	k/folding/s	scratch but	can not be	touched, no c	control or refe	r to keeping
		sample.						



	Polarizer	Size(mm)	S<5"	5"≤S<10"	10"≤S<15"		
	convex-	D≤0.20	Not count	Not count	Not count		
	concave	0.20 <d≤0.5< td=""><td>2</td><td>2</td><td>3</td><td></td><td>Naked eyes</td></d≤0.5<>	2	2	3		Naked eyes
11.6.2.2.3	dot defect,	0.50 <d≤0.8< td=""><td>0</td><td>1</td><td>3</td><td>1 to</td><td>/film card</td></d≤0.8<>	0	1	3	1 to	/film card
	polarizer	0.8 <d≤1.5< td=""><td>0</td><td>0</td><td>1</td><td>• a •</td><td>/magnifier</td></d≤1.5<>	0	0	1	• a •	/magnifier
	bubble defect	D>1.5mm	0	0	0		

11.6.3 Chipping defect

No.	Item		Accepte	d criterion(mm)		MA.	MI.
11.6.3.1	ITO conductive side	Х	1	≤1/8L	1		
		Υ	Y≤1/6W	1/6W <y≤1 4w<="" td=""><td>1/4W <y< td=""><td></td><td>-1</td></y<></td></y≤1>	1/4W <y< td=""><td></td><td>-1</td></y<>		-1
	Z	Accept	2	2	0		$\sqrt{}$
	X X						
	Corner chipping	X	1	≤1/6L	1		V
	(ITO pins position)	Υ	Y≤1/2W	1/2W <y≤w< td=""><td>W <y< td=""><td></td><td>V</td></y<></td></y≤w<>	W <y< td=""><td></td><td>V</td></y<>		V
11.6.3.2		Accept	2	1	0		
	Z Z	per 6.3.3; a black borde	at the same er of the fr	red in sealed edge e time it should no ame and the corn ection position per	ot enter into ner chipping		
	Chipping in sealed area (outside chipping)	X	1	≤1/8L	1		
	area (outside cripping)	Y(outside chipping)	Not enter	Enter Y≤H	H <y< td=""><td></td><td></td></y<>		
		Y(inside chipping)	into sealant	Enter Y≤1/2H	1/2H <y< td=""><td></td><td></td></y<>		
11.6.3.3	27	Z	≤T	≤1/2T	1		√
	7	Accept	2	1	0		
	Chipping in sealed area (inside chipping)	sealing are in the oppo	a are same site of stage	r and outer chippi . When the chippi e, Y as per the chip andard in 6.3.1	ng occurred		
	Conductive side (back side chipping)	Х	1	≤1/6L	/		
44.004	, y	Υ	Y≤1/3W	1/3W <y≤2 3w<="" td=""><td>2/3W <y< td=""><td></td><td>V</td></y<></td></y≤2>	2/3W <y< td=""><td></td><td>V</td></y<>		V
11.6.3.4	Z	Accept	2	2	0		
	, , , , , , , , , , , , , , , , , , ,	Chipping in	to ITO side,	refer to 6.3.1			

P. 17



	Protruding LCD poor cutting and LCD burrs	×	/	≤1/8L	/	
	Cutting and LCD burns	Y	≤1/6W	1/6W <y≤1 5w<="" td=""><td>1/5W <y< td=""><td></td></y<></td></y≤1>	1/5W <y< td=""><td></td></y<>	
11.6.3.5	↓ b	Z	1	1	/	V
		Accept	1	1	1	
		The outside drawing.	e protruding	control as per the t	olerance of	
11.6.3.6	Crack	expand to i	inside is NG	ks without directior , but to outside is C lamaged standard)	ΣK	√

Remark:

X means the length of chipping;

Y means the width;

Z means the thickness;

W means the step width of the two glasses;

H means the distance from the glass edge to the sealant inner edge;

T means glass thickness.

11.6.4 Backlight components

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.4.1	No backlight wrong Color	1	Rejected	√	
11.6.4.2	Color deviation	When powered on, the LCD color differs from its sample and found that the color not conforming to the drawing after testing.	Refer to sample and drawing		1
11.6.4.3	Brightness deviation	When powered on, the LCD brightness differs from its sample and is found after testing not conforming to the drawing; or if it conforms to the drawing but the brightness over ±40% than its typical value.	Refer to sample and drawing		√
11.6.4.4	Uneven brightness	Uneven on the same LCD and out of the specification of the drawing. The no specification evenness= (the max value-the min value)/ mean value< 70%.	Refer to sample and drawing		V
11.6.4.5	Spot/line/ scratch	When power on, it has dirty spot, scratches and so on spot and line defects.	Refer to 6.2.2		V

11.6.5 Metal frame (Metal Bezel)

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.5.1	Material & surface treatment	Metal frame/surface treatment do not conform to the specifications.	Rejected	V	
11.6.5.2	Tab twist Unconformity /Tab not twisted	Wrong twist method or direction and twist tabs are not twisted as required.	Rejected	√	



11.6.5.3	Bezel paint loss	1.Front surface : Paint peel off and scratch to the		√
11.6.5.4	Bezel scratch	bottom Dot:D≤0.5mm, exceeds 3;		√
11.6.5.5	Painting peel off, discoloration, dent, and scratch	Line:L≤3.0mm,W≤0.05mm exceeds 2; 2.Front dent, air bubble and side with paint peeling off scratch to the bottom Dot: D≤1.0mm, exceeds 3; Line:L≤3.0mm,W≤0.05mm, exceeds 2;	Rejected	√
11.6.5.6	Burr	Burr(s) on metal bezel is so long as to get into viewing area.	Rejected	√

11.6.6 FPC					
No.	Item	Description	Accepted criterion	MA.	MI.
11.6.6.1	Model &P/N	Material model & P/N	Keep the same with drawing and technical requirement	V	
11.6.6.2	Dimension/ position	Dimension in drawing spec H X A Remark: H=ITO pin length f=FPC width W=ITO pin width	f≤1/3w, h ≤1/3H, dimension in drawing spec-> OK Conducive material and ITO/PDA connective area must over than 1/2. Entire dimension must be in spec tolerance.		√
11.6.6.3	FPC appearance	Hot pressing material get broken, folding line open; FPC golden finger oxidate, broken ,scratch ,foreign material which cause line short	Broken length<2mm; FPC line is OK- > Accepted Crack and line broken->Rejected		√
11.6.6.4	FPC burr	Burr near FPC edge area	When cover line and burr length ≤1.0mm->Accepted		V
11.6.6.5	FPC falling off	FPC bonding area falling off; silica gel breaking	Rejected		1
11.6.6.6	Sealant missing ITO line	Sealant is not covered all ITO line	Rejected	V	
11.6.6.7	Missing sealant	No sealant	Rejected	√	
11.6.6.8	Sealant	Sealant height ->product total height	Rejected	V	



11	67	CI	ΛT

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.7.1	Soldering bridge	Solder between adjacent pads and components	Rejected		V
11.6.7.2	Solder ball/splash	Solder ball/tin dross causing short circuit at the solder point. There are active solder ball and splash.	Rejected		√
11.6.7.3	Soldering excursion	Soldering slant > 1/3 soldering pad 「學養養度	Rejected		V
11.6.7.4	Component wrong	Component on PCB differs with drawing: wrong one, extra one,lack one,opposite polarity	Rejected	V	
	attaching	JUMP short circuit on PCB: extra soldering, lack soldering.	Rejected	√	
11.6.7.5	Component falling off	Soldering but component is missing	Rejected	√	
11.6.7.6	Wrong component	Component model/spec differs from product specification	Rejected	√	

11.6.8 General Appearance

No.	Item	Description	Accepted criterion	MA.	MI.
11.6.8.1	Dimension	According to drawing	Accepted	√	
11.6.8.2	Surface stain	Defect mark or label are not removed residual glue, and finger print,etc;	Rejected		V
11.6.8.3	Assembly foreign material	Dot/linear stain after assembly backlight and diffuse film TP assembly fogy stain	Invisible when power on->OK Refer to 6.2.2 dot/line spec		V
11.6.8.4	Mixture	Different model product in the same shipment	Rejected	\checkmark	
11.6.8.5	Product mark	Missing, unclear, incorrect, or misplaced part	Rejected		V
11.6.8.6	Componen t mark	Silk screen mark clear, resistance measured value in spec	Accepted (Refer to customer special requirement)		√
11.6.8.7	Newton's rings	Area<1/6 screen area quantity≤1	Accepted		V
11.6.8.8	Mura	1.In black display ND 3% invisible ->OK; visible->NG 2.Naked eyes inspection RGB display invisible Black display, area<1/4 screen area	Refer to limited sample		V



11.6.8.9	Light leak	1.LCD edge(near backlight) shadow by LCD lamps irregular illuminate 2.Judge in black/white/gray display (slight leaky is yellowish,greenish, blueish ->NG); Tape 浮起漏光	Refer to limited sample	\checkmark
11.6.8.10	Polarizer	1.Polarizer slant.Cover VA and not over LCD edge2.No unmovable stain or finger print in polarizer VA3.Bubble/warped but not enter VA	Accepted	√
11.6.8.11	TP defect	1.TP crack 2.TP stain(fogy& unremovable) 3.TP glue overflow to VA	Rejected	√

Remark:

Anything which is not clearly defined in 6.5~6.8 should refer to IPC-A-610E.Consumer Electronics, Non-consumer Electronics refer to I grade and Industrial, Automobile refer to II grade.

11.7 Others

Items not specified in this document or released on compromise should be inspected with reference to mutual agreement and limit samples.



12. HANDLING PRECAUTIONS

12.1 Mounting method

The LCD module consists of two thin glass plates with polarizes which easily be damaged. And since the module in so constructed as to be fixed by utilizing fitting holes in the printed circuit board.

Extreme care should be needed when handling the LCD modules.

12.2 Caution of LCD handling and cleaning

When cleaning the display surface, Use soft cloth with solvent [recommended below] and wipe lightly:

- .lsopropyl alcohol
- Ethyl alcohol

Do not wipe the display surface with dry or hard materials that will damage the polarizer surface.

Do not use the following solvent:

- •.Water
- Aromatics

Do not wipe ITO pad area with the dry or hard materials that will damage the ITO patterns

Do not use the following solvent on the pad or prevent it from being contaminated :

- Soldering flux
- •.Chlorine (CI), Sulfur (S)

If goods were sent without being silicon coated on the pad, ITO patterns could be damaged due to the corrosion as time goes on.

If ITO corrosion happen by miss-handling or using some materials such as Chlorine (CI), Sulfur (S) from customer, Responsibility is on customer.

12.3 Caution against static charge

The LCD module use C-MOS LSI drivers, so we recommended that you:

Connect any unused input terminal to Vdd or Vss, do not input any signals before power is turned on, and ground your body, work/assembly areas, assembly equipment to protect against static electricity.

12.4 Packing

Module employ LCD elements and must be treated as such.

- Avoid intense shock and falls from a height.
- •. To prevent modules from degradation, do not operate or store them exposed direct to sunshine or high temperature/humidity.

12.5 Caution for operation

- •.It is an indispensable condition to drive LCD's within the specified voltage limit since the higher voltage then the limit cause the shorter LCD life.
- •.An electrochemical reaction due to direct current causes LCD's undesirable deterioration, so that the use of direct current drive should be avoided.
- •.Response time will be extremely delayed at lower temperature then the operating temperature range and on the other hand at higher temperature LCD's how dark color in them. However those phenomena do not mean malfunction or out of order with LCD's, which will come back in the specified operation temperature.
- •.If the display area is pushed hard during operation, some font will be abnormally displayed but it resumes normal condition after turning off once.
- •.A slight dew depositing on terminals is a cause for electro-chemical reaction resulting in terminal open circuit.
- •. Usage under the maximum operating temperature, 50%Rh or less is required.
- •. When fixed patterns are displayed for a long time, remnant image is likely to occur.

12.6 Storage

In the case of storing for a long period of time for instance, for years for the purpose or replacement use, the following ways are recommended.

- •.Storing in an ambient temperature 10°C to 30°C, and in a relative humidity of 45% to 75%. Don't expose to sunlight or fluorescent light.
- •. Storing in a polyethylene bag with the opening sealed so as not to enter fresh air outside in it. And with no desiccant.
- •.Placing in a dark place where neither exposure to direct sunlight nor light's keeping the storage temperature range
- •. Storing with no touch on polarizer surface by the anything else.

It is recommended to store them as they have been contained in the inner container at the time of delivery from us.

MODULE No. : IPS050A101A Rev No. : A P. 22



12.7 Safety

- •.It is recommendable to crash damaged or unnecessary LCD's into pieces and wash off liquid crystal by either of solvents such as acetone and ethanol, which should be burned up later.
- •.When any liquid leaked out of a damaged glass cell comes in contact with your hands, please wash it off well with soap and water.

13. PRECAUTION FOR USE

- **13.1** A limit sample should be provided by the both parties on an occasion when the both parties agreed its necessity. Judgment by a limit sample shall take effect after the limit sample has been established and confirmed by the both parties.
- **13.2** On the following occasions, the handing of problem should be decided through discussion and agreement between responsible of the both parties.
- •. When a question is arisen in this specification.
- •. When a new problem is arisen which is not specified in this specifications.
- •.When an inspection specifications change or operating condition change in customer is reported to GTK, and some problem is arisen in this specification due to the change.
- •. When a new problem is arisen at the customer's operating set for sample evaluation in the customer site.

14. PACKING SPECIFICATION

Please consult our technical department for detail information.

MODULE No. : IPS050A101A Rev No. : A P. 23